



Coal Mining

by Bretwood Higman, Erin McKittrick, David Coil

LAST MODIFIED: 12TH AUGUST 2019

CREATED: JAN. 19, 2018

Copyright: Creative Commons Attribution



Table of Contents



ALASKA MINESCAPE — The two largest of [Usibelli coal mines](#) ([/Issues/AlaskaCoal/UsibelliCoalMine.html](#)), active Two Bull Ridge in the foreground, and partially reclaimed and inactive Poker Flats in the background. — Get Photo ([/photos/alaska-minescape_2/](#))

Mining for coal can be divided into two major categories, underground mining and [strip mining](http://en.wikipedia.org/wiki/Strip_mining#Strip_mining) (http://en.wikipedia.org/wiki/Strip_mining#Strip_mining). Underground mining obtains coal by digging downwards to the level of the coal and then horizontally extracting the coal through a [variety of methods](#)

Coal Mining



([http://en.wikipedia.org/wiki/Underground_mining_\(soft_rock\)](http://en.wikipedia.org/wiki/Underground_mining_(soft_rock))).

In contrast, strip mining simply removes the overlaying earth and then extracts the coal directly.

Underground mining has been the dominant method used for centuries to mine coal but currently only accounts for a third of coal production in the US. Depending on the geology of the region, strip mines can be more economical and safer than underground mines. However, they have a much larger and more visible impact on the environment.

In strip mining, the overlaying earth “overburden (<http://en.wikipedia.org/wiki/Overburden>)” is removed using giant excavators or bulldozers and then the coal is dug out of the resulting pit and trucked out of the mine. Sometimes the overburden is loosened first by blasting with explosives. Strip mining is the technique used (<http://www.usibelli.com/Mine-process.php>) at Alaska’s only operating coal mine, Usibelli Coal Mine (<UsibelliCoalMine.html>), and is the method to be used at the proposed Chuitna Coal Prospect (<ChuitnaCoalMine.html>).

Both underground and strip mines are regulated by the rules regarding coal mine reclamation (<CoalMineReclamation.html>). In the case of strip mines, the overburden is usually pushed back into the pit and then the entire area is leveled, stabilized and then planted.

Coal Mining



Further Reading

> [Coal Diver website \(detailed coal mining production statistics\) \(http://coaldiver.org/coal-diver/national\)](http://coaldiver.org/coal-diver/national)